

Statistical Tables

Table 1	Standard Normal Curve Areas
Table 2	Percentage Points of Student's t Distribution
Table 3	t Test Type II Error Curves
Table 4	Percentage Points of Sign Test: $C_{\alpha,n}$
Table 5	Percentage Points of Wilcoxon Rank Sum Test: T_L and T_U
Table 6	Percentage Points of Wilcoxon Signed-Rank Test
Table 7	Percentage Points of Chi-Square Distribution: χ^2_{α}
Table 8	Percentage Points of F Distribution: F_{α}
Table 9	Values of $2 \operatorname{Arcsin} \sqrt{\hat{\pi}}$
Table 10	Percentage Points of Studentized Range Distribution: $q_{\alpha}(t, \nu)$
Table 11	Percentage Points for Dunnett's Test: $d_{\alpha}(k, \nu)$
Table 12	Percentage Points for Hartley's F_{\max} Test: $F_{\max,\alpha}$
Table 13	Random Numbers
Table 14	F Test Power Curves for AOV
Table 15	Poisson Probabilities: $Pr(Y = y)$




TABLE 1
 Standard normal curve areas

<i>z</i>	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

<i>z</i>	Area
-3.50	0.00023263
-4.00	0.00003167
-4.50	0.00000340
-5.00	0.00000029

Source: Computed by M. Longnecker using Splus.

1092 Appendix

TABLE 1

Standard normal curve areas

<i>z</i>	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998

<i>z</i>	Area
3.50	0.99976737
4.00	0.99996833
4.50	0.99999660
5.00	0.99999971





TABLE 2
Percentage points of Student's *t* distribution

df/α =	.40	.25	.10	.05	.025	.01	.005	.001	.0005
1	0.325	1.000	3.078	6.314	12.706	31.821	63.657	318.309	636.619
2	0.289	0.816	1.886	2.920	4.303	6.965	9.925	22.327	31.599
3	0.277	0.765	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	0.271	0.741	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	0.267	0.727	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	0.265	0.718	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	0.263	0.711	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	0.262	0.706	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	0.261	0.703	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	0.260	0.700	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	0.260	0.697	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	0.259	0.695	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	0.259	0.694	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	0.258	0.692	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	0.258	0.691	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	0.258	0.690	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	0.257	0.689	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	0.257	0.688	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	0.257	0.688	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	0.257	0.687	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	0.257	0.686	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	0.256	0.686	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	0.256	0.685	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	0.256	0.685	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	0.256	0.684	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	0.256	0.684	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	0.256	0.684	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	0.256	0.683	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	0.256	0.683	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	0.256	0.683	1.310	1.697	2.042	2.457	2.750	3.385	3.646
35	0.255	0.682	1.306	1.690	2.030	2.438	2.724	3.340	3.591
40	0.255	0.681	1.303	1.684	2.021	2.423	2.704	3.307	3.551
50	0.255	0.679	1.299	1.676	2.009	2.403	2.678	3.261	3.496
60	0.254	0.679	1.296	1.671	2.000	2.390	2.660	3.232	3.460
120	0.254	0.677	1.289	1.658	1.980	2.358	2.617	3.160	3.373
inf.	0.253	0.674	1.282	1.645	1.960	2.326	2.576	3.090	3.291

Source: Computed by M. Longnecker using Splus.

TABLE 3


Probability of Type II error curves for $\alpha = .01$ (one-sided)



Source: Computed by M. Longnecker using SAS.


TABLE 3

Probability of Type II error curves for $\alpha = .05$ (one-sided)




Source: Computed by M. Longnecker using SAS.

TABLE 3
Probability of Type II error curves for $\alpha = .01$ (two-sided)



Source: Computed by M. Longnecker using SAS.

TABLE 3
Probability of Type II error curves for $\alpha = .05$ (two-sided)



Source: Computed by M. Longnecker using SAS.

TABLE 4

Percentage points for confidence intervals on the median and the sign test: $C_{\alpha,n}$

$\alpha(2)$.20	.10	.05	.02	.01	.005	.002	$\alpha(2)$.20	.10	.05	.02	.01	.005	.002
$\alpha(1)$.10	.05	.025	.01	.005	.0025	.001	$\alpha(1)$.10	.05	.025	.01	.005	.0025	.001
<i>n</i>								<i>n</i>							
1	*	*	*	*	*	*	*	26	9	8	7	6	6	5	4
2	*	*	*	*	*	*	*	27	9	8	7	7	6	5	5
3	*	*	*	*	*	*	*	28	10	9	8	7	6	6	5
4	0	*	*	*	*	*	*	29	10	9	8	7	7	6	5
5	0	0	*	*	*	*	*	30	10	10	9	8	7	6	6
6	0	0	0	*	*	*	*	31	11	10	9	8	7	7	6
7	1	0	0	0	*	*	*	32	11	10	9	8	8	7	6
8	1	1	0	0	0	*	*	33	12	11	10	9	8	8	7
9	2	1	1	0	0	0	*	34	12	11	10	9	9	8	7
10	2	1	1	0	0	0	0	35	13	12	11	10	9	8	8
11	2	2	1	1	0	0	0	36	13	12	11	10	9	9	8
12	3	2	2	1	1	0	0	37	14	13	12	10	10	9	8
13	3	3	2	1	1	1	0	38	14	13	12	11	10	9	9
14	4	3	2	2	1	1	1	39	15	13	12	11	11	10	9
15	4	3	3	2	2	1	1	40	15	14	13	12	11	10	9
16	4	4	3	2	2	2	1	41	15	14	13	12	11	11	10
17	5	4	4	3	2	2	1	42	16	15	14	13	12	11	10
18	5	5	4	3	3	2	2	43	16	15	14	13	12	11	11
19	6	5	4	4	3	3	2	44	17	16	15	13	13	12	11
20	6	5	5	4	3	3	2	45	17	16	15	14	13	12	11
21	7	6	5	4	4	3	3	46	18	16	15	14	13	13	12
22	7	6	5	5	4	4	3	47	18	17	16	15	14	13	12
23	7	7	6	5	4	4	3	48	19	17	16	15	14	13	12
24	8	7	6	5	5	4	4	49	19	18	17	15	15	14	13
25	8	7	7	6	5	5	4	50	19	18	17	16	15	14	13

Note: An * means that no test or confidence interval of this level exists.

Source: Computed by M. Longnecker using Splus.

TABLE 5

Critical values of T_L and T_U for the Wilcoxon rank sum test: independent samples. Test statistic is rank sum associated with smaller sample (if equal sample sizes, either rank sum can be used).

a. $\alpha = .025$ one-tailed; $\alpha = .05$ two-tailed

$n_2 \backslash n_1$	3		4		5		6		7		8		9		10	
	T_L	T_U	T_L	T_U	T_L	T_U	T_L	T_U	T_L	T_U	T_L	T_U	T_L	T_U	T_L	T_U
3	5	16	6	18	6	21	7	23	7	26	8	28	8	31	9	33
4	6	18	11	25	12	28	12	32	13	35	14	38	15	41	16	44
5	6	21	12	28	18	37	19	41	20	45	21	49	22	53	24	56
6	7	23	12	32	19	41	26	52	28	56	29	61	31	65	32	70
7	7	26	13	35	20	45	28	56	37	68	39	73	41	78	43	83
8	8	28	14	38	21	49	29	61	39	73	49	87	51	93	54	98
9	8	31	15	41	22	53	31	65	41	78	51	93	63	108	66	114
10	9	33	16	44	24	56	32	70	43	83	54	98	66	114	79	131

b. $\alpha = .05$ one-tailed; $\alpha = .10$ two-tailed

$n_2 \backslash n_1$	3		4		5		6		7		8		9		10	
	T_L	T_U	T_L	T_U	T_L	T_U	T_L	T_U	T_L	T_U	T_L	T_U	T_L	T_U	T_L	T_U
3	6	15	7	17	7	20	8	22	9	24	9	27	10	29	11	31
4	7	17	12	24	13	27	14	30	15	33	16	36	17	39	18	42
5	7	20	13	27	19	36	20	40	22	43	24	46	25	50	26	54
6	8	22	14	30	20	40	28	50	30	54	32	58	33	63	35	67
7	9	24	15	33	22	43	30	54	39	66	41	71	43	76	46	80
8	9	27	16	36	24	46	32	58	41	71	52	84	54	90	57	95
9	10	29	17	39	25	50	33	63	43	76	54	90	66	105	69	111
10	11	31	18	42	26	54	35	67	46	80	57	95	69	111	83	127

Source: From F. Wilcoxon and R. A. Wilcox, *Some Rapid Approximate Statistical Procedures* (Pearl River, N.Y. Lederle Laboratories, 1964), pp. 20–23. Reproduced with the permission of American Cyanamid Company.


TABLE 6
Critical values for the
Wilcoxon signed-rank test
[$n = 5(1)54$]

One-Sided	Two-Sided	$n = 5$	$n = 6$	$n = 7$	$n = 8$	$n = 9$
$p = .1$	$p = .2$	2	3	5	8	10
$p = .05$	$p = .1$	0	2	3	5	8
$p = .025$	$p = .05$		0	2	3	5
$p = .01$	$p = .02$			0	1	3
$p = .005$	$p = .01$				0	1
$p = .0025$	$p = .005$					0
$p = .001$	$p = .002$					
One-Sided	Two-Sided	$n = 15$	$n = 16$	$n = 17$	$n = 18$	$n = 19$
$p = .1$	$p = .2$	36	42	48	55	62
$p = .05$	$p = .1$	30	35	41	47	53
$p = .025$	$p = .05$	25	29	34	40	46
$p = .01$	$p = .02$	19	23	27	32	37
$p = .005$	$p = .01$	15	19	23	27	32
$p = .0025$	$p = .005$	12	15	19	23	27
$p = .001$	$p = .002$	8	11	14	18	21
One-Sided	Two-Sided	$n = 25$	$n = 26$	$n = 27$	$n = 28$	$n = 29$
$p = .1$	$p = .2$	113	124	134	145	157
$p = .05$	$p = .1$	100	110	119	130	140
$p = .025$	$p = .05$	89	98	107	116	126
$p = .01$	$p = .02$	76	84	92	101	110
$p = .005$	$p = .01$	68	75	83	91	100
$p = .0025$	$p = .005$	60	67	74	82	90
$p = .001$	$p = .002$	51	58	64	71	79
One-Sided	Two-Sided	$n = 35$	$n = 36$	$n = 37$	$n = 38$	$n = 39$
$p = .1$	$p = .2$	235	250	265	281	297
$p = .05$	$p = .1$	213	227	241	256	271
$p = .025$	$p = .05$	195	208	221	235	249
$p = .01$	$p = .02$	173	185	198	211	224
$p = .005$	$p = .01$	159	171	182	194	207
$p = .0025$	$p = .005$	146	157	168	180	192
$p = .001$	$p = .002$	131	141	151	162	173
One-Sided	Two-Sided	$n = 45$	$n = 46$	$n = 47$	$n = 48$	$n = 49$
$p = .1$	$p = .2$	402	422	441	462	482
$p = .05$	$p = .1$	371	389	407	426	446
$p = .025$	$p = .05$	343	361	378	396	415
$p = .01$	$p = .02$	312	328	345	362	379
$p = .005$	$p = .01$	291	307	322	339	355
$p = .0025$	$p = .005$	272	287	302	318	334
$p = .001$	$p = .002$	249	263	277	292	307

Source: Computed by P. J. Hildebrand.

TABLE 6
(continued)

One-Sided	Two-Sided	<i>n</i> = 10	<i>n</i> = 11	<i>n</i> = 12	<i>n</i> = 13	<i>n</i> = 14
<i>p</i> = .1	<i>p</i> = .2	14	17	21	26	31
<i>p</i> = .05	<i>p</i> = .1	10	13	17	21	25
<i>p</i> = .025	<i>p</i> = .05	8	10	13	17	21
<i>p</i> = .01	<i>p</i> = .02	5	7	9	12	15
<i>p</i> = .005	<i>p</i> = .01	3	5	7	9	12
<i>p</i> = .0025	<i>p</i> = .005	1	3	5	7	9
<i>p</i> = .001	<i>p</i> = .002	0	1	2	4	6
One-Sided	Two-Sided	<i>n</i> = 20	<i>n</i> = 21	<i>n</i> = 22	<i>n</i> = 23	<i>n</i> = 24
<i>p</i> = .1	<i>p</i> = .2	69	77	86	94	104
<i>p</i> = .05	<i>p</i> = .1	60	67	75	83	91
<i>p</i> = .025	<i>p</i> = .05	52	58	65	73	81
<i>p</i> = .01	<i>p</i> = .02	43	49	55	62	69
<i>p</i> = .005	<i>p</i> = .01	37	42	48	54	61
<i>p</i> = .0025	<i>p</i> = .005	32	37	42	48	54
<i>p</i> = .001	<i>p</i> = .002	26	30	35	40	45
One-Sided	Two-Sided	<i>n</i> = 30	<i>n</i> = 31	<i>n</i> = 32	<i>n</i> = 33	<i>n</i> = 34
<i>p</i> = .1	<i>p</i> = .2	169	181	194	207	221
<i>p</i> = .05	<i>p</i> = .1	151	163	175	187	200
<i>p</i> = .025	<i>p</i> = .05	137	147	159	170	182
<i>p</i> = .01	<i>p</i> = .02	120	130	140	151	162
<i>p</i> = .005	<i>p</i> = .01	109	118	128	138	148
<i>p</i> = .0025	<i>p</i> = .005	98	107	116	126	136
<i>p</i> = .001	<i>p</i> = .002	86	94	103	112	121
One-Sided	Two-Sided	<i>n</i> = 40	<i>n</i> = 41	<i>n</i> = 42	<i>n</i> = 43	<i>n</i> = 44
<i>p</i> = .1	<i>p</i> = .2	313	330	348	365	384
<i>p</i> = .05	<i>p</i> = .1	286	302	319	336	353
<i>p</i> = .025	<i>p</i> = .05	264	279	294	310	327
<i>p</i> = .01	<i>p</i> = .02	238	252	266	281	296
<i>p</i> = .005	<i>p</i> = .01	220	233	247	261	276
<i>p</i> = .0025	<i>p</i> = .005	204	217	230	244	258
<i>p</i> = .001	<i>p</i> = .002	185	197	209	222	235
One-Sided	Two-Sided	<i>n</i> = 50	<i>n</i> = 51	<i>n</i> = 52	<i>n</i> = 53	<i>n</i> = 54
<i>p</i> = .1	<i>p</i> = .2	503	525	547	569	592
<i>p</i> = .05	<i>p</i> = .1	466	486	507	529	550
<i>p</i> = .025	<i>p</i> = .05	434	453	473	494	514
<i>p</i> = .01	<i>p</i> = .02	397	416	434	454	473
<i>p</i> = .005	<i>p</i> = .01	373	390	408	427	445
<i>p</i> = .0025	<i>p</i> = .005	350	367	384	402	420
<i>p</i> = .001	<i>p</i> = .002	323	339	355	372	389

**TABLE 7**

Percentage points of the chi-square distribution

df	$\alpha =$.999	.995	.99	.975	.95	.90
1		.000002	.000039	.000157	.000982	.003932	.01579
2		.002001	.01003	.02010	.05064	.1026	.2107
3		.02430	.07172	.1148	.2158	.3518	.5844
4		.09080	.2070	.2971	.4844	.7107	1.064
5		.2102	.4117	.5543	.8312	1.145	1.610
6		.3811	.6757	.8721	1.237	1.635	2.204
7		.5985	.9893	1.239	1.690	2.167	2.833
8		.8571	1.344	1.646	2.180	2.733	3.490
9		1.152	1.735	2.088	2.700	3.325	4.168
10		1.479	2.156	2.558	3.247	3.940	4.865
11		1.834	2.603	3.053	3.816	4.575	5.578
12		2.214	3.074	3.571	4.404	5.226	6.304
13		2.617	3.565	4.107	5.009	5.892	7.042
14		3.041	4.075	4.660	5.629	6.571	7.790
15		3.483	4.601	5.229	6.262	7.261	8.547
16		3.942	5.142	5.812	6.908	7.962	9.312
17		4.416	5.697	6.408	7.564	8.672	10.09
18		4.905	6.265	7.015	8.231	9.390	10.86
19		5.407	6.844	7.633	8.907	10.12	11.65
20		5.921	7.434	8.260	9.591	10.85	12.44
21		6.447	8.034	8.897	10.28	11.59	13.24
22		6.983	8.643	9.542	10.98	12.34	14.04
23		7.529	9.260	10.20	11.69	13.09	14.85
24		8.085	9.886	10.86	12.40	13.85	15.66
25		8.649	10.52	11.52	13.12	14.61	16.47
26		9.222	11.16	12.20	13.84	15.38	17.29
27		9.803	11.81	12.88	14.57	16.15	18.11
28		10.39	12.46	13.56	15.31	16.93	18.94
29		10.99	13.12	14.26	16.06	17.71	19.77
30		11.59	13.79	14.95	16.79	18.49	20.60
40		17.92	20.71	22.16	24.43	26.51	29.05
50		24.67	27.99	29.71	32.36	34.76	37.69
60		31.74	35.53	37.48	40.48	43.19	46.46
70		39.04	43.28	45.44	48.76	51.74	55.33
80		46.52	51.17	53.54	57.15	60.39	64.28
90		54.16	59.20	61.75	65.65	69.13	73.29
100		61.92	67.33	70.06	74.22	77.93	82.36
120		77.76	83.85	86.92	91.57	95.70	100.62
240		177.95	187.32	191.99	198.98	205.14	212.39

TABLE 7
(continued)

$\alpha = .10$.05	.025	.01	.005	.001	df
2.706	3.841	5.024	6.635	7.879	10.83	1
4.605	5.991	7.378	9.210	10.60	13.82	2
6.251	7.815	9.348	11.34	12.84	16.27	3
7.779	9.488	11.14	13.28	14.86	18.47	4
9.236	11.07	12.83	15.09	16.75	20.52	5
10.64	12.59	14.45	16.81	18.55	22.46	6
12.02	14.07	16.01	18.48	20.28	24.32	7
13.36	15.51	17.53	20.09	21.95	26.12	8
14.68	16.92	19.02	21.67	23.59	27.88	9
15.99	18.31	20.48	23.21	25.19	29.59	10
17.28	19.68	21.92	24.72	26.76	31.27	11
18.55	21.03	23.34	26.22	28.30	32.91	12
19.81	22.36	24.74	27.69	29.82	34.53	13
21.06	23.68	26.12	29.14	31.32	36.12	14
22.31	25.00	27.49	30.58	32.80	37.70	15
23.54	26.30	28.85	32.00	34.27	39.25	16
24.77	27.59	30.19	33.41	35.72	40.79	17
25.99	28.87	31.53	34.81	37.16	42.31	18
27.20	30.14	32.85	36.19	38.58	43.82	19
28.41	31.41	34.17	37.57	40.00	45.31	20
29.62	32.67	35.48	38.93	41.40	46.80	21
30.81	33.92	36.78	40.29	42.80	48.27	22
32.01	35.17	38.08	41.64	44.18	49.73	23
33.20	36.42	39.36	42.98	45.56	51.18	24
34.38	37.65	40.65	44.31	46.93	52.62	25
35.56	38.89	41.92	45.64	48.29	54.05	26
36.74	40.11	43.19	46.96	49.65	55.48	27
37.92	41.34	44.46	48.28	50.99	56.89	28
39.09	42.56	45.72	49.59	52.34	58.30	29
40.26	43.77	46.98	50.89	53.67	59.70	30
51.81	55.76	59.34	63.69	66.77	73.40	40
63.17	67.50	71.42	76.15	79.49	86.66	50
74.40	79.08	83.30	88.38	91.95	99.61	60
85.53	90.53	95.02	100.43	104.21	112.32	70
96.58	101.88	106.63	112.33	116.32	124.84	80
107.57	113.15	118.14	124.12	128.30	137.21	90
118.50	124.34	129.56	135.81	140.17	149.45	100
140.23	146.57	152.21	158.95	163.65	173.62	120
268.47	277.14	284.80	293.89	300.18	313.44	240

Source: Computed by P. J. Hildebrand.




TABLE 8
Percentage points of the F distribution (df_2 between 1 and 6)

df_2	α	df_1									
		1	2	3	4	5	6	7	8	9	10
1	.25	5.83	7.50	8.20	8.58	8.82	8.98	9.10	9.19	9.26	9.32
	.10	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86	60.19
	.05	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9
	.025	647.8	799.5	864.2	899.6	921.8	937.1	948.2	956.7	963.3	968.6
	.01	4052	5000	5403	5625	5764	5859	5928	5981	6022	6056
2	.25	2.57	3.00	3.15	3.23	3.28	3.31	3.34	3.35	3.37	3.38
	.10	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39
	.05	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40
	.025	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39	39.40
	.01	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40
	.005	198.5	199.0	199.2	199.2	199.3	199.3	199.4	199.4	199.4	199.4
.001	998.5	999.0	999.2	999.2	999.3	999.3	999.4	999.4	999.4	999.4	
3	.25	2.02	2.28	2.36	2.39	2.41	2.42	2.43	2.44	2.44	2.44
	.10	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23
	.05	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79
	.025	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47	14.42
	.01	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23
	.005	55.55	49.80	47.47	46.19	45.39	44.84	44.43	44.13	43.88	43.69
	.001	167.0	148.5	141.1	137.1	134.6	132.8	131.6	130.6	129.9	129.2
4	.25	1.81	2.00	2.05	2.06	2.07	2.08	2.08	2.08	2.08	2.08
	.10	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92
	.05	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96
	.025	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84
	.01	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55
	.005	31.33	26.28	24.26	23.15	22.46	21.97	21.62	21.35	21.14	20.97
	.001	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47	48.05
5	.25	1.69	1.85	1.88	1.89	1.89	1.89	1.89	1.89	1.89	1.89
	.10	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30
	.05	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74
	.025	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62
	.01	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05
	.005	22.78	18.31	16.53	15.56	14.94	14.51	14.20	13.96	13.77	13.62
	.001	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24	26.92
6	.25	1.62	1.76	1.78	1.79	1.79	1.78	1.78	1.78	1.77	1.77
	.10	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94
	.05	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06
	.025	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46
	.01	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87
	.005	18.63	14.54	12.92	12.03	11.46	11.07	10.79	10.57	10.39	10.25
	.001	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.69	18.41




TABLE 8
Percentage points of the F distribution (df_2 between 7 and 12)

df_2	α	df_1									
		1	2	3	4	5	6	7	8	9	10
7	.25	1.57	1.70	1.72	1.72	1.71	1.71	1.70	1.70	1.69	1.69
	.10	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70
	.05	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64
	.025	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76
	.01	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62
	.005	16.24	12.40	10.88	10.05	9.52	9.16	8.89	8.68	8.51	8.38
	.001	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33	14.08
8	.25	1.54	1.66	1.67	1.66	1.66	1.65	1.64	1.64	1.63	1.63
	.10	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54
	.05	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35
	.025	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	4.30
	.01	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81
	.005	14.69	11.04	9.60	8.81	8.30	7.95	7.69	7.50	7.34	7.21
	.001	25.41	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.77	11.54
9	.25	1.51	1.62	1.63	1.63	1.62	1.61	1.60	1.60	1.59	1.59
	.10	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42
	.05	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14
	.025	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03	3.96
	.01	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26
	.005	13.61	10.11	8.72	7.96	7.47	7.13	6.88	6.69	6.54	6.42
	.001	22.86	16.39	13.90	12.56	11.71	11.13	10.70	10.37	10.11	9.89
10	.25	1.49	1.60	1.60	1.59	1.59	1.58	1.57	1.56	1.56	1.55
	.10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32
	.05	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98
	.025	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78	3.72
	.01	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85
	.005	12.83	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97	5.85
	.001	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.96	8.75
11	.25	1.47	1.58	1.58	1.57	1.56	1.55	1.54	1.53	1.53	1.52
	.10	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25
	.05	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85
	.025	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59	3.53
	.01	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54
	.005	12.23	8.91	7.60	6.88	6.42	6.10	5.86	5.68	5.54	5.42
	.001	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	8.12	7.92
12	.25	1.46	1.56	1.56	1.55	1.54	1.53	1.52	1.51	1.51	1.50
	.10	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19
	.05	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75
	.025	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37
	.01	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30
	.005	11.75	8.51	7.23	6.52	6.07	5.76	5.52	5.35	5.20	5.09
	.001	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48	7.29

TABLE 8
(continued)

df₁											df₂
12	15	20	24	30	40	60	120	240	inf.	α	
1.68	1.68	1.67	1.67	1.66	1.66	1.65	1.65	1.65	1.65	.25	7
2.67	2.63	2.59	2.58	2.56	2.54	2.51	2.49	2.48	2.47	.10	
3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.25	3.23	.05	
4.67	4.57	4.47	4.41	4.36	4.31	4.25	4.20	4.17	4.14	.025	
6.47	6.31	6.16	6.07	5.99	5.91	5.82	5.74	5.69	5.65	.01	
8.18	7.97	7.75	7.64	7.53	7.42	7.31	7.19	7.13	7.08	.005	
13.71	13.32	12.93	12.73	12.53	12.33	12.12	11.91	11.80	11.70	.001	
1.62	1.62	1.61	1.60	1.60	1.59	1.59	1.58	1.58	1.58	.25	8
2.50	2.46	2.42	2.40	2.38	2.36	2.34	2.32	2.30	2.29	.10	
3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.95	2.93	.05	
4.20	4.10	4.00	3.95	3.89	3.84	3.78	3.73	3.70	3.67	.025	
5.67	5.52	5.36	5.28	5.20	5.12	5.03	4.95	4.90	4.86	.01	
7.01	6.81	6.61	6.50	6.40	6.29	6.18	6.06	6.01	5.95	.005	
11.19	10.84	10.48	10.30	10.11	9.92	9.73	9.53	9.43	9.33	.001	
1.58	1.57	1.56	1.56	1.55	1.54	1.64	1.53	1.53	1.53	.25	9
2.38	2.34	2.30	2.28	2.25	2.23	2.21	2.18	2.17	2.16	.10	
3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.73	2.71	.05	
3.87	3.77	3.67	3.61	3.56	3.51	3.45	3.39	3.36	3.33	.025	
5.11	4.96	4.81	4.73	4.65	4.57	4.48	4.40	4.35	4.31	.01	
6.23	6.03	5.83	5.73	5.62	5.52	5.41	5.30	5.24	5.19	.005	
9.57	9.24	8.90	8.72	8.55	8.37	8.19	8.00	7.91	7.81	.001	
1.54	1.53	1.52	1.52	1.51	1.51	1.50	1.49	1.49	1.48	.25	10
2.28	2.24	2.20	2.18	2.16	2.13	2.11	2.08	2.07	2.06	.10	
2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.56	2.54	.05	
3.62	3.52	3.42	3.37	3.31	3.26	3.20	3.14	3.11	3.08	.025	
4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.95	3.91	.01	
5.66	5.47	5.27	5.17	5.07	4.97	4.86	4.75	4.69	4.64	.005	
8.45	8.13	7.80	7.64	7.47	7.30	7.12	6.94	6.85	6.76	.001	
1.51	1.50	1.49	1.49	1.48	1.47	1.47	1.46	1.45	1.45	.25	11
2.21	2.17	2.12	2.10	2.08	2.05	2.03	2.00	1.99	1.97	.10	
2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.43	2.40	.05	
3.43	3.33	3.23	3.17	3.12	3.06	3.00	2.94	2.91	2.88	.025	
4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.65	3.60	.01	
5.24	5.05	4.86	4.76	4.65	4.55	4.45	4.34	4.28	4.23	.005	
7.63	7.32	7.01	6.85	6.68	6.52	6.35	6.18	6.09	6.00	.001	
1.49	1.48	1.47	1.46	1.45	1.45	1.44	1.43	1.43	1.42	.25	12
2.15	2.10	2.06	2.04	2.01	1.99	1.96	1.93	1.92	1.90	.10	
2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.32	2.30	.05	
3.28	3.18	3.07	3.02	2.96	2.91	2.85	2.79	2.76	2.72	.025	
4.16	4.01	3.86	3.78	3.70	3.62	3.54	3.45	3.41	3.36	.01	
4.91	4.72	4.53	4.43	4.33	4.23	4.12	4.01	3.96	3.90	.005	
7.00	6.71	6.40	6.25	6.09	5.93	5.76	5.59	5.51	5.42	.001	




TABLE 8
Percentage points of the F distribution (df_2 between 13 and 18)

df_2	α	df_1									
		1	2	3	4	5	6	7	8	9	10
13	.25	1.45	1.55	1.55	1.53	1.52	1.51	1.50	1.49	1.49	1.48
	.10	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14
	.05	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67
	.025	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	3.25
	.01	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10
	.005	11.37	8.19	6.93	6.23	5.79	5.48	5.25	5.08	4.94	4.82
	.001	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98	6.80
14	.25	1.44	1.53	1.53	1.52	1.51	1.50	1.49	1.48	1.47	1.46
	.10	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10
	.05	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60
	.025	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	3.15
	.01	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94
	.005	11.06	7.92	6.68	6.00	5.56	5.26	5.03	4.86	4.72	4.60
	.001	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.58	6.40
15	.25	1.43	1.52	1.52	1.51	1.49	1.48	1.47	1.46	1.46	1.45
	.10	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06
	.05	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54
	.025	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06
	.01	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80
	.005	10.80	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54	4.42
	.001	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26	6.08
16	.25	1.42	1.51	1.51	1.50	1.48	1.47	1.46	1.45	1.44	1.44
	.10	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03
	.05	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49
	.025	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	2.99
	.01	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69
	.005	10.58	7.51	6.30	5.64	5.21	4.91	4.69	4.52	4.38	4.27
	.001	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.98	5.81
17	.25	1.42	1.51	1.50	1.49	1.47	1.46	1.45	1.44	1.43	1.43
	.10	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00
	.05	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45
	.025	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	2.92
	.01	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59
	.005	10.38	7.35	6.16	5.50	5.07	4.78	4.56	4.39	4.25	4.14
	.001	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75	5.58
18	.25	1.41	1.50	1.49	1.48	1.46	1.45	1.44	1.43	1.42	1.42
	.10	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98
	.05	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41
	.025	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	2.87
	.01	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51
	.005	10.22	7.21	6.03	5.37	4.96	4.66	4.44	4.28	4.14	4.03
	.001	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56	5.39

TABLE 8
(continued)

df₁											df₂
12	15	20	24	30	40	60	120	240	inf.	α	
1.47	1.46	1.45	1.44	1.43	1.42	1.42	1.41	1.40	1.40	.25	13
2.10	2.05	2.01	1.98	1.96	1.93	1.90	1.88	1.86	1.85	.10	
2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.23	2.21	.05	
3.15	3.05	2.95	2.89	2.84	2.78	2.72	2.66	2.63	2.60	.025	
3.96	3.82	3.66	3.59	3.51	3.43	3.34	3.25	3.21	3.17	.01	
4.64	4.46	4.27	4.17	4.07	3.97	3.87	3.76	3.70	3.65	.005	
6.52	6.23	5.93	5.78	5.63	5.47	5.30	5.14	5.05	4.97	.001	
1.45	1.44	1.43	1.42	1.41	1.41	1.40	1.39	1.38	1.38	.25	14
2.05	2.01	1.96	1.94	1.91	1.89	1.86	1.83	1.81	1.80	.10	
2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.15	2.13	.05	
3.05	2.95	2.84	2.79	2.73	2.67	2.61	2.55	2.52	2.49	.025	
3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.05	3.00	.01	
4.43	4.25	4.06	3.96	3.86	3.76	3.66	3.55	3.49	3.44	.005	
6.13	5.85	5.56	5.41	5.25	5.10	4.94	4.77	4.69	4.60	.001	
1.44	1.43	1.41	1.41	1.40	1.39	1.38	1.37	1.36	1.36	.25	15
2.02	1.97	1.92	1.90	1.87	1.85	1.82	1.79	1.77	1.76	.10	
2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.09	2.07	.05	
2.96	2.86	2.76	2.70	2.64	2.59	2.52	2.46	2.43	2.40	.025	
3.67	3.52	3.37	3.29	3.21	3.13	3.05	2.96	2.91	2.87	.01	
4.25	4.07	3.88	3.79	3.69	3.58	3.48	3.37	3.32	3.26	.005	
5.81	5.54	5.25	5.10	4.95	4.80	4.64	4.47	4.39	4.31	.001	
1.43	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.35	1.34	.25	16
1.99	1.94	1.89	1.87	1.84	1.81	1.78	1.75	1.73	1.72	.10	
2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.03	2.01	.05	
2.89	2.79	2.68	2.63	2.57	2.51	2.45	2.38	2.35	2.32	.025	
3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.80	2.75	.01	
4.10	3.92	3.73	3.64	3.54	3.44	3.33	3.22	3.17	3.11	.005	
5.55	5.27	4.99	4.85	4.70	4.54	4.39	4.23	4.14	4.06	.001	
1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.33	.25	17
1.96	1.91	1.86	1.84	1.81	1.78	1.75	1.72	1.70	1.69	.10	
2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.99	1.96	.05	
2.82	2.72	2.62	2.56	2.50	2.44	2.38	2.32	2.28	2.25	.025	
3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.70	2.65	.01	
3.97	3.79	3.61	3.51	3.41	3.31	3.21	3.10	3.04	2.98	.005	
5.32	5.05	4.78	4.63	4.48	4.33	4.18	4.02	3.93	3.85	.001	
1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32	1.32	.25	18
1.93	1.89	1.84	1.81	1.78	1.75	1.72	1.69	1.67	1.66	.10	
2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.94	1.92	.05	
2.77	2.67	2.56	2.50	2.44	2.38	2.32	2.26	2.22	2.19	.025	
3.37	3.23	3.08	3.00	2.92	2.84	2.75	2.66	2.61	2.57	.01	
3.86	3.68	3.50	3.40	3.30	3.20	3.10	2.99	2.93	2.87	.005	
5.13	4.87	4.59	4.45	4.30	4.15	4.00	3.84	3.75	3.67	.001	




TABLE 8
Percentage points of the F distribution (df_2 between 19 and 24)

df_2	α	df_1									
		1	2	3	4	5	6	7	8	9	10
19	.25	1.41	1.49	1.49	1.47	1.46	1.44	1.43	1.42	1.41	1.41
	.10	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96
	.05	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38
	.025	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88	2.82
	.01	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43
	.005	10.07	7.09	5.92	5.27	4.85	4.56	4.34	4.18	4.04	3.93
	.001	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.39	5.22
20	.25	1.40	1.49	1.48	1.47	1.45	1.44	1.43	1.42	1.41	1.40
	.10	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94
	.05	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35
	.025	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.77
	.01	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37
	.005	9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96	3.85
	.001	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24	5.08
21	.25	1.40	1.48	1.48	1.46	1.44	1.43	1.42	1.41	1.40	1.39
	.10	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92
	.05	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32
	.025	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80	2.73
	.01	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31
	.005	9.83	6.89	5.73	5.09	4.68	4.39	4.18	4.01	3.88	3.77
	.001	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11	4.95
22	.25	1.40	1.48	1.47	1.45	1.44	1.42	1.41	1.40	1.39	1.39
	.10	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90
	.05	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30
	.025	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76	2.70
	.01	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26
	.005	9.73	6.81	5.65	5.02	4.61	4.32	4.11	3.94	3.81	3.70
	.001	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99	4.83
23	.25	1.39	1.47	1.47	1.45	1.43	1.42	1.41	1.40	1.39	1.38
	.10	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92	1.89
	.05	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27
	.025	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73	2.67
	.01	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21
	.005	9.63	6.73	5.58	4.95	4.54	4.26	4.05	3.88	3.75	3.64
	.001	14.20	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.89	4.73
24	.25	1.39	1.47	1.46	1.44	1.43	1.41	1.40	1.39	1.38	1.38
	.10	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88
	.05	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25
	.025	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70	2.64
	.01	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17
	.005	9.55	6.66	5.52	4.89	4.49	4.20	3.99	3.83	3.69	3.59
	.001	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	4.64

TABLE 8
(continued)

df_1											df_2
12	15	20	24	30	40	60	120	240	inf.	α	
1.40	1.38	1.37	1.36	1.35	1.34	1.33	1.32	1.31	1.30	.25	19
1.91	1.86	1.81	1.79	1.76	1.73	1.70	1.67	1.65	1.63	.10	
2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.90	1.88	.05	
2.72	2.62	2.51	2.45	2.39	2.33	2.27	2.20	2.17	2.13	.025	
3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.54	2.49	.01	
3.76	3.59	3.40	3.31	3.21	3.11	3.00	2.89	2.83	2.78	.005	
4.97	4.70	4.43	4.29	4.14	3.99	3.84	3.68	3.60	3.51	.001	
1.39	1.37	1.36	1.35	1.34	1.33	1.32	1.31	1.30	1.29	.25	20
1.89	1.84	1.79	1.77	1.74	1.71	1.68	1.64	1.63	1.61	.10	
2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.87	1.84	.05	
2.68	2.57	2.46	2.41	2.35	2.29	2.22	2.16	2.12	2.09	.025	
3.23	3.09	2.94	2.86	2.78	2.69	2.61	2.52	2.47	2.42	.01	
3.68	3.50	3.32	3.22	3.12	3.02	2.92	2.81	2.75	2.69	.005	
4.82	4.56	4.29	4.15	4.00	3.86	3.70	3.54	3.46	3.38	.001	
1.38	1.37	1.35	1.34	1.33	1.32	1.31	1.30	1.29	1.28	.25	21
1.87	1.83	1.78	1.75	1.72	1.69	1.66	1.62	1.60	1.59	.10	
2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.84	1.81	.05	
2.64	2.53	2.42	2.37	2.31	2.25	2.18	2.11	2.08	2.04	.025	
3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.41	2.36	.01	
3.60	3.43	3.24	3.15	3.05	2.95	2.84	2.73	2.67	2.61	.005	
4.70	4.44	4.17	4.03	3.88	3.74	3.58	3.42	3.34	3.26	.001	
1.37	1.36	1.34	1.33	1.32	1.31	1.30	1.29	1.28	1.28	.25	22
1.86	1.81	1.76	1.73	1.70	1.67	1.64	1.60	1.59	1.57	.10	
2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.81	1.78	.05	
2.60	2.50	2.39	2.33	2.27	2.21	2.14	2.08	2.04	2.00	.025	
3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.35	2.31	.01	
3.54	3.36	3.18	3.08	2.98	2.88	2.77	2.66	2.60	2.55	.005	
4.58	4.33	4.06	3.92	3.78	3.63	3.48	3.32	3.23	3.15	.001	
1.37	1.35	1.34	1.33	1.32	1.31	1.30	1.28	1.28	1.27	.25	23
1.84	1.80	1.74	1.72	1.69	1.66	1.62	1.59	1.57	1.55	.10	
2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.79	1.76	.05	
2.57	2.47	2.36	2.30	2.24	2.18	2.11	2.04	2.01	1.97	.025	
3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.31	2.26	.01	
3.47	3.30	3.12	3.02	2.92	2.82	2.71	2.60	2.54	2.48	.005	
4.48	4.23	3.96	3.82	3.68	3.53	3.38	3.22	3.14	3.05	.001	
1.36	1.35	1.33	1.32	1.31	1.30	1.29	1.28	1.27	1.26	.25	24
1.83	1.78	1.73	1.70	1.67	1.64	1.61	1.57	1.55	1.53	.10	
2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.76	1.73	.05	
2.54	2.44	2.33	2.27	2.21	2.15	2.08	2.01	1.97	1.94	.025	
3.03	2.89	2.74	2.66	2.58	2.49	2.40	2.31	2.26	2.21	.01	
3.42	3.25	3.06	2.97	2.87	2.77	2.66	2.55	2.49	2.43	.005	
4.39	4.14	3.87	3.74	3.59	3.45	3.29	3.14	3.05	2.97	.001	




TABLE 8
Percentage points of the F distribution (df_2 between 25 and 30)

df_2	α	df_1									
		1	2	3	4	5	6	7	8	9	10
25	.25	1.39	1.47	1.46	1.44	1.42	1.41	1.40	1.39	1.38	1.37
	.10	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	1.87
	.05	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24
	.025	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	2.61
	.01	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13
	.005	9.48	6.60	5.46	4.84	4.43	4.15	3.94	3.78	3.64	3.54
	.001	13.88	9.22	7.45	6.49	5.89	5.46	5.15	4.91	4.71	4.56
26	.25	1.38	1.46	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.37
	.10	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86
	.05	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22
	.025	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	2.59
	.01	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09
	.005	9.41	6.54	5.41	4.79	4.38	4.10	3.89	3.73	3.60	3.49
	.001	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.64	4.48
27	.25	1.38	1.46	1.45	1.43	1.42	1.40	1.39	1.38	1.37	1.36
	.10	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.85
	.05	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20
	.025	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63	2.57
	.01	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06
	.005	9.34	6.49	5.36	4.74	4.34	4.06	3.85	3.69	3.56	3.45
	.001	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.57	4.41
28	.25	1.38	1.46	1.45	1.43	1.41	1.40	1.39	1.38	1.37	1.36
	.10	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84
	.05	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19
	.025	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61	2.55
	.01	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03
	.005	9.28	6.44	5.32	4.70	4.30	4.02	3.81	3.65	3.52	3.41
	.001	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.50	4.35
29	.25	1.38	1.45	1.45	1.43	1.41	1.40	1.38	1.37	1.36	1.35
	.10	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86	1.83
	.05	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18
	.025	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59	2.53
	.01	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00
	.005	9.23	6.40	5.28	4.66	4.26	3.98	3.77	3.61	3.48	3.38
	.001	13.39	8.85	7.12	6.19	5.59	5.18	4.87	4.64	4.45	4.29
30	.25	1.38	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.36	1.35
	.10	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82
	.05	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16
	.025	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57	2.51
	.01	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98
	.005	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45	3.34
	.001	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39	4.24

TABLE 8
(continued)

df_1											df_2
12	15	20	24	30	40	60	120	240	inf.	α	
1.36	1.34	1.33	1.32	1.31	1.29	1.28	1.27	1.26	1.25	.25	25
1.82	1.77	1.72	1.69	1.66	1.63	1.59	1.56	1.54	1.52	.10	
2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.74	1.71	.05	
2.51	2.41	2.30	2.24	2.18	2.12	2.05	1.98	1.94	1.91	.025	
2.99	2.85	2.70	2.62	2.54	2.45	2.36	2.27	2.22	2.17	.01	
3.37	3.20	3.01	2.92	2.82	2.72	2.61	2.50	2.44	2.38	.005	
4.31	4.06	3.79	3.66	3.52	3.37	3.22	3.06	2.98	2.89	.001	
1.35	1.34	1.32	1.31	1.30	1.29	1.28	1.26	1.26	1.25	.25	26
1.81	1.76	1.71	1.68	1.65	1.61	1.58	1.54	1.52	1.50	.10	
2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.72	1.69	.05	
2.49	2.39	2.28	2.22	2.16	2.09	2.03	1.95	1.92	1.88	.025	
2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.18	2.13	.01	
3.33	3.15	2.97	2.87	2.77	2.67	2.56	2.45	2.39	2.33	.005	
4.24	3.99	3.72	3.59	3.44	3.30	3.15	2.99	2.90	2.82	.001	
1.35	1.33	1.32	1.31	1.30	1.28	1.27	1.26	1.25	1.24	.25	27
1.80	1.75	1.70	1.67	1.64	1.60	1.57	1.53	1.51	1.49	.10	
2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.70	1.67	.05	
2.47	2.36	2.25	2.19	2.13	2.07	2.00	1.93	1.89	1.85	.025	
2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.15	2.10	.01	
3.28	3.11	2.93	2.83	2.73	2.63	2.52	2.41	2.35	2.29	.005	
4.17	3.92	3.66	3.52	3.38	3.23	3.08	2.92	2.84	2.75	.001	
1.34	1.33	1.31	1.30	1.29	1.28	1.27	1.25	1.24	1.24	.25	28
1.79	1.74	1.69	1.66	1.63	1.59	1.56	1.52	1.50	1.48	.10	
2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.68	1.65	.05	
2.45	2.34	2.23	2.17	2.11	2.05	1.98	1.91	1.87	1.83	.025	
2.90	2.75	2.60	2.52	2.44	2.35	2.26	2.17	2.12	2.06	.01	
3.25	3.07	2.89	2.79	2.69	2.59	2.48	2.37	2.31	2.25	.005	
4.11	3.86	3.60	3.46	3.32	3.18	3.02	2.86	2.78	2.69	.001	
1.34	1.32	1.31	1.30	1.29	1.27	1.26	1.25	1.24	1.23	.25	29
1.78	1.73	1.68	1.65	1.62	1.58	1.55	1.51	1.49	1.47	.10	
2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.67	1.64	.05	
2.43	2.32	2.21	2.15	2.09	2.03	1.96	1.89	1.85	1.81	.025	
2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.09	2.03	.01	
3.21	3.04	2.86	2.76	2.66	2.56	2.45	2.33	2.27	2.21	.005	
4.05	3.80	3.54	3.41	3.27	3.12	2.97	2.81	2.73	2.64	.001	
1.34	1.32	1.30	1.29	1.28	1.27	1.26	1.24	1.23	1.23	.25	30
1.77	1.72	1.67	1.64	1.61	1.57	1.54	1.50	1.48	1.46	.10	
2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.65	1.62	.05	
2.41	2.31	2.20	2.14	2.07	2.01	1.94	1.87	1.83	1.79	.025	
2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.06	2.01	.01	
3.18	3.01	2.82	2.73	2.63	2.52	2.42	2.30	2.24	2.18	.005	
4.00	3.75	3.49	3.36	3.22	3.07	2.92	2.76	2.68	2.59	.001	




TABLE 8

Percentage points of the F distribution (df_2 at least 40)

df_2	α	df_1									
		1	2	3	4	5	6	7	8	9	10
40	.25	1.36	1.44	1.42	1.40	1.39	1.37	1.36	1.35	1.34	1.33
	.10	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76
	.05	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08
	.025	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45	2.39
	.01	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80
	.005	8.83	6.07	4.98	4.37	3.99	3.71	3.51	3.35	3.22	3.12
	.001	12.61	8.25	6.59	5.70	5.13	4.73	4.44	4.21	4.02	3.87
60	.25	1.35	1.42	1.41	1.38	1.37	1.35	1.33	1.32	1.31	1.30
	.10	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71
	.05	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99
	.025	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33	2.27
	.01	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63
	.005	8.49	5.79	4.73	4.14	3.76	3.49	3.29	3.13	3.01	2.90
	.001	11.97	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69	3.54
90	.25	1.34	1.41	1.39	1.37	1.35	1.33	1.32	1.31	1.30	1.29
	.10	2.76	2.36	2.15	2.01	1.91	1.84	1.78	1.74	1.70	1.67
	.05	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94
	.025	5.20	3.84	3.26	2.93	2.71	2.55	2.43	2.34	2.26	2.19
	.01	6.93	4.85	4.01	3.53	3.23	3.01	2.84	2.72	2.61	2.52
	.005	8.28	5.62	4.57	3.99	3.62	3.35	3.15	3.00	2.87	2.77
	.001	11.57	7.47	5.91	5.06	4.53	4.15	3.87	3.65	3.48	3.34
120	.25	1.34	1.40	1.39	1.37	1.35	1.33	1.31	1.30	1.29	1.28
	.10	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65
	.05	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91
	.025	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22	2.16
	.01	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47
	.005	8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81	2.71
	.001	11.38	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.38	3.24
240	.25	1.33	1.39	1.38	1.36	1.34	1.32	1.30	1.29	1.27	1.27
	.10	2.73	2.32	2.10	1.97	1.87	1.80	1.74	1.70	1.65	1.63
	.05	3.88	3.03	2.64	2.41	2.25	2.14	2.04	1.98	1.92	1.87
	.025	5.09	3.75	3.17	2.84	2.62	2.46	2.34	2.25	2.17	2.10
	.01	6.74	4.69	3.86	3.40	3.09	2.88	2.71	2.59	2.48	2.40
	.005	8.03	5.42	4.38	3.82	3.45	3.19	2.99	2.84	2.71	2.61
	.001	11.10	7.11	5.60	4.78	4.25	3.89	3.62	3.41	3.24	3.09
inf.	.25	1.32	1.39	1.37	1.35	1.33	1.31	1.29	1.28	1.27	1.25
	.10	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60
	.05	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83
	.025	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11	2.05
	.01	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32
	.005	7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62	2.52
	.001	10.83	6.91	5.42	4.62	4.10	3.74	3.47	3.27	3.10	2.96

TABLE 8
(continued)

df_1											df_2
12	15	20	24	30	40	60	120	240	inf.	α	
1.31	1.30	1.28	1.26	1.25	1.24	1.22	1.21	1.20	1.19	.25	40
1.71	1.66	1.61	1.57	1.54	1.51	1.47	1.42	1.40	1.38	.10	
2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.54	1.51	.05	
2.29	2.18	2.07	2.01	1.94	1.88	1.80	1.72	1.68	1.64	.025	
2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.86	1.80	.01	
2.95	2.78	2.60	2.50	2.40	2.30	2.18	2.06	2.00	1.93	.005	
3.64	3.40	3.14	3.01	2.87	2.73	2.57	2.41	2.32	2.23	.001	
1.29	1.27	1.25	1.24	1.22	1.21	1.19	1.17	1.16	1.15	.25	60
1.66	1.60	1.54	1.51	1.48	1.44	1.40	1.35	1.32	1.29	.10	
1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.43	1.39	.05	
2.17	2.06	1.94	1.88	1.82	1.74	1.67	1.58	1.53	1.48	.025	
2.50	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.67	1.60	.01	
2.74	2.57	2.39	2.29	2.19	2.08	1.96	1.83	1.76	1.69	.005	
3.32	3.08	2.83	2.69	2.55	2.41	2.25	2.08	1.99	1.89	.001	
1.27	1.25	1.23	1.22	1.20	1.19	1.17	1.15	1.13	1.12	.25	90
1.62	1.56	1.50	1.47	1.43	1.39	1.35	1.29	1.26	1.23	.10	
1.86	1.78	1.69	1.64	1.59	1.53	1.46	1.39	1.35	1.30	.05	
2.09	1.98	1.86	1.80	1.73	1.66	1.58	1.48	1.43	1.37	.025	
2.39	2.24	2.09	2.00	1.92	1.82	1.72	1.60	1.53	1.46	.01	
2.61	2.44	2.25	2.15	2.05	1.94	1.82	1.68	1.61	1.52	.005	
3.11	2.88	2.63	2.50	2.36	2.21	2.05	1.87	1.77	1.66	.001	
1.26	1.24	1.22	1.21	1.19	1.18	1.16	1.13	1.12	1.10	.25	120
1.60	1.55	1.48	1.45	1.41	1.37	1.32	1.26	1.23	1.19	.10	
1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.31	1.25	.05	
2.05	1.94	1.82	1.76	1.69	1.61	1.53	1.43	1.38	1.31	.025	
2.34	2.19	2.03	1.95	1.86	1.76	1.66	1.53	1.46	1.38	.01	
2.54	2.37	2.19	2.09	1.98	1.87	1.75	1.61	1.52	1.43	.005	
3.02	2.78	2.53	2.40	2.26	2.11	1.95	1.77	1.66	1.54	.001	
1.25	1.23	1.21	1.19	1.18	1.16	1.14	1.11	1.09	1.07	.25	240
1.57	1.52	1.45	1.42	1.38	1.33	1.28	1.22	1.18	1.13	.10	
1.79	1.71	1.61	1.56	1.51	1.44	1.37	1.29	1.24	1.17	.05	
2.00	1.89	1.77	1.70	1.63	1.55	1.46	1.35	1.29	1.21	.025	
2.26	2.11	1.96	1.87	1.78	1.68	1.57	1.43	1.35	1.25	.01	
2.45	2.28	2.09	1.99	1.89	1.77	1.64	1.49	1.40	1.28	.005	
2.88	2.65	2.40	2.26	2.12	1.97	1.80	1.61	1.49	1.35	.001	
1.24	1.22	1.19	1.18	1.16	1.14	1.12	1.08	1.06	1.00	.25	inf.
1.55	1.49	1.42	1.38	1.34	1.30	1.24	1.17	1.12	1.00	.10	
1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.15	1.00	.05	
1.94	1.83	1.71	1.64	1.57	1.48	1.39	1.27	1.19	1.00	.025	
2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.22	1.00	.01	
2.36	2.19	2.00	1.90	1.79	1.67	1.53	1.36	1.25	1.00	.005	
2.74	2.51	2.27	2.13	1.99	1.84	1.66	1.45	1.31	1.00	.001	

Source: Computed by P. J. Hildebrand.

TABLE 9
Values of $2 \arcsin \sqrt{\hat{\eta}}$

$\hat{\eta}$	$\hat{\eta}$	$\hat{\eta}$	$\hat{\eta}$	$\hat{\eta}$	$\hat{\eta}$	$\hat{\eta}$	$\hat{\eta}$	$\hat{\eta}$	$\hat{\eta}$
.001	.0633	.041	.4078	.36	1.2870	.76	2.1177	.971	2.7993
.002	.0895	.042	.4128	.37	1.3078	.77	2.1412	.972	2.8053
.003	.1096	.043	.4178	.38	1.3284	.78	2.1652	.973	2.8115
.004	.1266	.044	.4227	.39	1.3490	.79	2.1895	.974	2.8177
.005	.1415	.045	.4275	.40	1.3694	.80	2.2143	.975	2.8240
.006	.1551	.046	.4323	.41	1.3898	.81	2.2395	.976	2.8305
.007	.1675	.047	.4371	.42	1.4101	.82	2.2653	.977	2.8371
.008	.1791	.048	.4418	.43	1.4303	.83	2.2916	.978	2.8438
.009	.1900	.049	.4464	.44	1.4505	.84	2.3186	.979	2.8507
.010	.2003	.050	.4510	.45	1.4706	.85	2.3462	.980	2.8578
.011	.2101	.06	.4949	.46	1.4907	.86	2.3746	.981	2.8650
.012	.2195	.07	.5355	.47	1.5108	.87	2.4039	.982	2.8725
.013	.2285	.08	.5735	.48	1.5308	.88	2.4341	.983	2.8801
.014	.2372	.09	.6094	.49	1.5508	.89	2.4655	.984	2.8879
.015	.2456	.10	.6435	.50	1.5708	.90	2.4981	.985	2.8960
.016	.2537	.11	.6761	.51	1.5908	.91	2.5322	.986	2.9044
.017	.2615	.12	.7075	.52	1.6108	.92	2.5681	.987	2.9131
.018	.2691	.13	.7377	.53	1.6308	.93	2.6062	.988	2.9221
.019	.2766	.14	.7670	.54	1.6509	.94	2.6467	.989	2.9315
.020	.2838	.15	.7954	.55	1.6710	.95	2.6906	.990	2.9413
.021	.2909	.16	.8230	.56	1.6911	.951	2.6952	.991	2.9516
.022	.2978	.17	.8500	.57	1.7113	.952	2.6998	.992	2.9625
.023	.3045	.18	.8763	.58	1.7315	.953	2.7045	.993	2.9741
.024	.3111	.19	.9021	.59	1.7518	.954	2.7093	.994	2.9865
.025	.3176	.20	.9273	.60	1.7722	.955	2.7141	.995	3.0001
.026	.3239	.21	.9521	.61	1.7926	.956	2.7189	.996	3.0150
.027	.3301	.22	.9764	.62	1.8132	.957	2.7238	.997	3.0320
.028	.3363	.23	1.0004	.63	1.8338	.958	2.7288	.998	3.0521
.029	.3423	.24	1.0239	.64	1.8338	.959	2.7338	.999	3.0783
.030	.3482	.25	1.0472	.65	1.8546	.960	2.7389		
.031	.3540	.26	1.0701	.66	1.8965	.961	2.7440		
.032	.3597	.27	1.0928	.67	1.9177	.962	2.7492		
.033	.3654	.28	1.1152	.68	1.9391	.963	2.7545		
.034	.3709	.29	1.1374	.69	1.9606	.964	2.7598		
.035	.3764	.30	1.1593	.70	1.9823	.965	2.7652		
.036	.3818	.31	1.1810	.71	2.0042	.966	2.7707		
.037	.3871	.32	1.2025	.72	2.0264	.967	2.7762		
.038	.3924	.33	1.2239	.73	2.0488	.968	2.7819		
.039	.3976	.34	1.2451	.74	2.0715	.969	2.7876		
.040	.4027	.35	1.2661	.75	2.0944	.970	2.7934		

From *Experimental Design: Procedures for the Behavioral Sciences*, by Roger E. Kirk. Copyright © 1968 by Wadsworth Publishing Company, Inc. Reprinted by permission of the publisher, Brooks/Cole, Pacific Grove, Calif.

TABLE 10

Percentage points of the Studentized range

Error df	$t = \text{Number of Treatment Means}$										
	α	2	3	4	5	6	7	8	9	10	11
5	.05	3.64	4.60	5.22	5.67	6.03	6.33	6.58	6.80	6.99	7.17
	.01	5.70	6.98	7.80	8.42	8.91	9.32	9.67	9.97	10.24	10.48
6	.05	3.46	4.34	4.90	5.30	5.63	5.90	6.12	6.32	6.49	6.65
	.01	5.24	6.33	7.03	7.56	7.97	8.32	8.61	8.87	9.10	9.30
7	.05	3.34	4.16	4.68	5.06	5.36	5.61	5.82	6.00	6.16	6.30
	.01	4.95	5.92	6.54	7.01	7.37	7.68	7.94	8.17	8.37	8.55
8	.05	3.26	4.04	4.53	4.89	5.17	5.40	5.60	5.77	5.92	6.05
	.01	4.75	5.64	6.20	6.62	6.96	7.24	7.47	7.68	7.86	8.03
9	.05	3.20	3.95	4.41	4.76	5.02	5.24	5.43	5.59	5.74	5.87
	.01	4.60	5.43	5.96	6.35	6.66	6.91	7.13	7.33	7.49	7.65
10	.05	3.15	3.88	4.33	4.65	4.91	5.12	5.30	5.46	5.60	5.72
	.01	4.48	5.27	5.77	6.14	6.43	6.67	6.87	7.05	7.21	7.36
11	.05	3.11	3.82	4.26	4.57	4.82	5.03	5.30	5.35	5.49	5.61
	.01	4.39	5.15	5.62	5.97	6.25	6.48	6.67	6.84	6.99	7.13
12	.05	3.08	3.77	4.20	4.52	4.75	4.95	5.12	5.27	5.39	5.51
	.01	4.32	5.05	5.50	5.84	6.10	6.32	6.51	6.67	6.81	6.94
13	.05	3.06	3.73	4.15	4.45	4.69	4.88	5.05	5.19	5.32	5.43
	.01	4.26	4.96	5.40	5.73	5.98	6.19	6.37	6.53	6.67	6.79
14	.05	3.03	3.70	4.11	4.41	4.64	4.83	4.99	5.13	5.25	5.36
	.01	4.21	4.89	5.32	5.63	5.88	6.08	6.26	6.41	6.54	6.66
15	.05	3.01	3.67	4.08	4.37	4.59	4.78	4.94	5.08	5.20	5.31
	.01	4.17	4.84	5.25	5.56	5.80	5.99	6.16	6.31	6.44	6.55
16	.05	3.00	3.65	4.05	4.33	4.56	4.74	4.90	5.03	5.15	5.26
	.01	4.13	4.79	5.19	5.49	5.72	5.92	6.08	6.22	6.35	6.46
17	.05	2.98	3.63	4.02	4.30	4.52	4.70	4.86	4.99	5.11	5.21
	.01	4.10	4.74	5.14	5.43	5.66	5.85	6.01	6.15	6.27	6.38
18	.05	2.97	3.61	4.00	4.28	4.49	4.67	4.82	4.96	5.07	5.17
	.01	4.07	4.70	5.09	5.38	5.60	5.79	5.94	6.08	6.20	6.31
19	.05	2.96	3.59	3.98	4.25	4.47	4.65	4.79	4.92	5.04	5.14
	.01	4.05	4.67	5.05	5.33	5.55	5.73	5.89	6.02	6.14	6.25
20	.05	2.95	3.58	3.96	4.23	4.45	4.62	4.77	4.90	5.01	5.11
	.01	4.02	4.64	5.02	5.29	5.51	5.69	5.84	5.97	6.09	6.19
24	.05	2.92	3.53	3.90	4.17	4.37	4.54	4.68	4.81	3.92	5.01
	.01	3.96	4.55	4.91	5.17	5.37	5.54	5.69	5.81	5.92	6.02
30	.05	2.89	3.49	3.85	4.10	4.30	4.46	4.60	4.72	4.82	4.92
	.01	3.89	4.45	4.80	5.05	5.24	5.40	5.54	5.65	5.76	5.85
40	.05	2.86	3.44	3.79	4.04	4.23	4.39	4.52	4.63	4.73	4.82
	.01	3.82	4.37	4.70	4.93	5.11	5.26	5.39	5.50	5.60	5.69
60	.05	2.83	3.40	3.74	3.98	4.16	4.31	4.44	4.55	4.65	4.73
	.01	3.76	4.28	4.59	4.82	4.99	5.13	5.25	5.36	5.45	5.53
120	.05	2.80	3.36	3.68	3.92	4.10	4.24	4.36	4.47	4.56	4.64
	.01	3.70	4.20	4.50	4.71	4.87	5.01	5.12	5.21	5.30	5.37
∞	.05	2.77	3.31	3.63	3.86	4.03	4.17	4.29	4.39	4.47	4.55
	.01	3.64	4.12	4.40	4.60	4.76	4.88	4.99	5.08	5.16	5.23

This table is abridged from E. S. Pearson and H. O. Hartley, eds., *Biometrika Tables for Statisticians*, 2d ed., Vol 1 (New York: Cambridge University Press, 1958), Table 29. Reproduced with the permission of the editors and the trustees of *Biometrika*.

TABLE 10
(continued)

Error df	<i>t</i> = Number of Treatment Means									α
	12	13	14	15	16	17	18	19	20	
5	7.32	7.47	7.60	7.72	7.83	7.93	8.03	8.12	8.21	.05
	10.70	10.89	11.08	11.24	11.40	11.55	11.68	11.81	11.93	.01
6	6.79	6.92	7.03	7.14	7.24	7.34	7.43	7.51	7.59	.05
	9.48	9.65	9.81	9.95	10.08	10.21	10.32	10.43	10.54	.01
7	6.43	6.55	6.66	6.76	6.85	6.94	7.02	7.10	7.17	.05
	8.71	8.86	9.00	9.12	9.24	9.35	9.46	9.55	9.65	.01
8	6.18	6.29	6.39	6.48	6.57	6.65	6.73	6.80	6.87	.05
	8.18	8.31	8.44	8.55	8.66	8.76	8.85	8.94	9.03	.01
9	5.98	6.09	6.19	6.28	6.36	6.44	6.51	6.58	6.64	.05
	7.78	7.91	8.03	8.13	8.23	8.33	8.41	8.49	8.57	.01
10	5.83	5.93	6.03	6.11	6.19	6.27	6.34	6.40	6.47	.05
	7.49	7.60	7.71	7.81	7.91	7.99	8.08	8.15	8.23	.01
11	5.71	5.81	5.90	5.98	6.06	6.13	6.20	6.27	6.33	.05
	7.25	7.36	7.46	7.56	7.65	7.73	7.81	7.88	7.95	.01
12	5.61	5.71	5.80	5.86	5.95	6.02	6.09	6.15	6.21	.05
	7.06	7.17	7.26	7.36	7.44	7.52	7.59	7.66	7.73	.01
13	5.53	5.63	5.71	5.79	5.86	5.93	5.99	6.05	6.11	.05
	6.90	7.01	7.10	7.19	7.27	7.35	7.42	7.48	7.55	.01
14	5.46	5.55	5.64	5.71	5.79	5.85	5.91	5.97	6.03	.05
	6.77	6.87	6.96	7.05	7.13	7.20	7.27	7.33	7.39	.01
15	5.40	5.49	5.57	5.65	5.72	5.78	5.85	5.90	5.96	.05
	6.66	6.76	6.84	6.93	7.00	7.07	7.14	7.20	7.26	.01
16	5.35	5.44	5.52	5.59	5.66	5.73	5.79	5.84	5.90	.05
	6.56	6.66	6.74	6.82	6.90	6.97	7.03	7.09	7.15	.01
17	5.31	5.39	5.47	5.54	5.61	5.67	5.73	5.79	5.84	.05
	6.48	6.57	6.66	6.73	6.81	6.87	6.94	7.00	7.05	.01
18	5.27	5.35	5.43	5.50	5.57	5.63	5.69	5.74	5.79	.05
	6.41	6.50	6.58	6.65	6.73	6.79	6.85	6.91	6.97	.01
19	5.23	5.31	5.39	5.46	5.53	5.59	5.65	5.70	5.75	.05
	6.34	6.43	6.51	6.58	6.65	6.72	6.78	6.84	6.89	.01
20	5.20	5.28	5.36	5.43	5.49	5.55	5.61	5.66	5.71	.05
	6.28	6.37	6.45	6.52	6.59	6.65	6.71	6.77	6.82	.01
24	5.10	5.18	5.25	5.32	5.38	5.44	5.49	5.55	5.59	.05
	6.11	6.19	6.26	6.33	6.39	6.45	6.51	6.56	6.61	.01
30	5.00	5.08	5.15	5.21	5.27	5.33	5.38	5.43	5.47	.05
	5.93	6.01	6.08	6.14	6.20	6.26	6.31	6.36	6.41	.01
40	4.90	4.98	5.04	5.11	5.16	5.22	5.27	5.31	5.36	.05
	5.76	5.83	5.90	5.96	6.02	6.07	6.12	6.16	6.21	.01
60	4.81	4.88	4.94	5.00	5.06	5.11	5.15	5.20	5.24	.05
	5.60	5.67	5.73	5.78	5.84	5.89	5.93	5.97	6.01	.01
120	4.71	4.78	4.84	4.90	4.95	5.00	5.04	5.09	5.13	.05
	5.44	5.50	5.56	5.61	5.66	5.71	5.75	5.79	5.83	.01
∞	4.62	4.68	4.74	4.80	4.85	4.89	4.93	4.97	5.01	.05
	5.29	5.35	5.40	5.45	5.49	5.54	5.57	5.61	5.65	.01

TABLE 11

Percentage points for Dunnett's test: $d_{\alpha}(k, \nu)$

$\alpha = 0.05$ (one-sided)													
ν	$k = 2$	3	4	5	6	7	8	9	10	11	12	15	20
5	2.44	2.68	2.85	2.98	3.08	3.16	3.24	3.30	3.36	3.41	3.45	3.57	3.72
6	2.34	2.56	2.71	2.83	2.92	3.00	3.07	3.12	3.17	3.22	3.26	3.37	3.50
7	2.27	2.48	2.62	2.73	2.82	2.89	2.95	3.01	3.05	3.10	3.13	3.23	3.36
8	2.22	2.42	2.55	2.66	2.74	2.81	2.87	2.92	2.96	3.01	3.04	3.14	3.25
9	2.18	2.37	2.50	2.60	2.68	2.75	2.81	2.86	2.90	2.94	2.97	3.06	3.18
10	2.15	2.34	2.47	2.56	2.64	2.70	2.76	2.81	2.85	2.89	2.92	3.01	3.12
11	2.13	2.31	2.44	2.53	2.60	2.67	2.72	2.77	2.81	2.85	2.88	2.96	3.07
12	2.11	2.29	2.41	2.50	2.58	2.64	2.69	2.74	2.78	2.81	2.84	2.93	3.03
13	2.09	2.27	2.39	2.48	2.55	2.61	2.66	2.71	2.75	2.78	2.82	2.90	3.00
14	2.08	2.25	2.37	2.46	2.53	2.59	2.64	2.69	2.72	2.76	2.79	2.87	2.97
15	2.07	2.24	2.36	2.44	2.51	2.57	2.62	2.67	2.70	2.74	2.77	2.85	2.95
16	2.06	2.23	2.34	2.43	2.50	2.56	2.61	2.65	2.69	2.72	2.75	2.83	2.93
17	2.05	2.22	2.33	2.42	2.49	2.54	2.59	2.64	2.67	2.71	2.74	2.81	2.91
18	2.04	2.21	2.32	2.41	2.48	2.53	2.58	2.62	2.66	2.69	2.72	2.80	2.89
19	2.03	2.20	2.31	2.40	2.47	2.52	2.57	2.61	2.65	2.68	2.71	2.79	2.88
20	2.03	2.19	2.30	2.39	2.46	2.51	2.56	2.60	2.64	2.67	2.70	2.77	2.87
24	2.01	2.17	2.28	2.36	2.43	2.48	2.53	2.57	2.60	2.64	2.66	2.74	2.83
30	1.99	2.15	2.25	2.33	2.40	2.45	2.50	2.54	2.57	2.60	2.63	2.70	2.79
40	1.97	2.13	2.23	2.31	2.37	2.42	2.47	2.51	2.54	2.57	2.60	2.67	2.75
60	1.95	2.10	2.21	2.28	2.35	2.39	2.44	2.48	2.51	2.54	2.56	2.63	2.72
120	1.93	2.08	2.18	2.26	2.32	2.37	2.41	2.45	2.48	2.51	2.53	2.60	2.68
∞	1.92	2.06	2.16	2.23	2.29	2.34	2.38	2.42	2.45	2.48	2.50	2.56	2.64

From C. W. Dunnett (1955), "A Multiple Comparison Procedure for Comparing Several Treatments with a Control," *Journal of the American Statistical Association* 50, 1112–1118. Reprinted with permission from *Journal of the American Statistical Association*. Copyright 1955 by the American Statistical Association. All rights reserved.

C. W. Dunnett (1964), "New Tables for Multiple Comparisons with a Control," *Biometrics* 20, 482–491. Also additional tables produced by C. W. Dunnett in 1980.

TABLE 11Percentage points for Dunnett's test: $d_{\alpha}(k, \nu)$

$\alpha = 0.01$ (one-sided)													
ν	$k = 2$	3	4	5	6	7	8	9	10	11	12	15	20
5	3.90	4.21	4.43	4.60	4.73	4.85	4.94	5.03	5.11	5.17	5.24	5.39	5.59
6	3.61	3.88	4.07	4.21	4.33	4.43	4.51	4.59	4.64	4.70	4.76	4.89	5.06
7	3.42	3.66	3.83	3.96	4.07	4.15	4.23	4.30	4.35	4.40	4.45	4.57	4.72
8	3.29	3.51	3.67	3.79	3.88	3.96	4.03	4.09	4.14	4.19	4.23	4.34	4.48
9	3.19	3.40	3.55	3.66	3.75	3.82	3.89	3.94	3.99	4.04	4.08	4.18	4.31
10	3.11	3.31	3.45	3.56	3.64	3.71	3.78	3.83	3.88	3.92	3.96	4.06	4.18
11	3.06	3.25	3.38	3.48	3.56	3.63	3.69	3.74	3.79	3.83	3.86	3.96	4.08
12	3.01	3.19	3.32	3.42	3.50	3.56	3.62	3.67	3.71	3.75	3.79	3.88	3.99
13	2.97	3.15	3.27	3.37	3.44	3.51	3.56	3.61	3.65	3.69	3.73	3.81	3.92
14	2.94	3.11	3.23	3.32	3.40	3.46	3.51	3.56	3.60	3.64	3.67	3.76	3.87
15	2.91	3.08	3.20	3.29	3.36	3.42	3.47	3.52	3.56	3.60	3.63	3.71	3.82
16	2.88	3.05	3.17	3.26	3.33	3.39	3.44	3.48	3.52	3.56	3.59	3.67	3.78
17	2.86	3.03	3.14	3.23	3.30	3.36	3.41	3.45	3.49	3.53	3.56	3.64	3.74
18	2.84	3.01	3.12	3.21	3.27	3.33	3.38	3.42	3.46	3.50	3.53	3.61	3.71
19	2.83	2.99	3.10	3.18	3.25	3.31	3.36	3.40	3.44	3.47	3.50	3.58	3.68
20	2.81	2.97	3.08	3.17	3.23	3.29	3.34	3.38	3.42	3.45	3.48	3.56	3.65
24	2.77	2.92	3.03	3.11	3.17	3.22	3.27	3.31	3.35	3.38	3.41	3.48	3.57
30	2.72	2.87	2.97	3.05	3.11	3.16	3.21	3.24	3.28	3.31	3.34	3.41	3.50
40	2.68	2.82	2.92	2.99	3.05	3.10	3.14	3.18	3.21	3.24	3.27	3.34	3.42
60	2.64	2.78	2.87	2.94	3.00	3.04	3.08	3.12	3.15	3.18	3.20	3.27	3.35
120	2.60	2.73	2.82	2.89	2.94	2.99	3.03	3.06	3.09	3.12	3.14	3.20	3.28
∞	2.56	2.68	2.77	2.84	2.89	2.93	2.97	3.00	3.03	3.06	3.08	3.14	3.21

TABLE 11

Percentage points for Dunnett's test: $d_{\alpha}(k, \nu)$ (continued)

$\alpha = 0.05$ (two-sided)													
ν	$k = 2$	3	4	5	6	7	8	9	10	11	12	15	20
5	3.03	3.29	3.48	3.62	3.73	3.82	3.90	3.97	4.03	4.09	4.14	4.26	4.42
6	2.86	3.10	3.26	3.39	3.49	3.57	3.64	3.71	3.76	3.81	3.86	3.97	4.11
7	2.75	2.97	3.12	3.24	3.33	3.41	3.47	3.53	3.58	3.63	3.67	3.78	3.91
8	2.67	2.88	3.02	3.13	3.22	3.29	3.35	3.41	3.46	3.50	3.54	3.64	3.76
9	2.61	2.81	2.95	3.05	3.14	3.20	3.26	3.32	3.36	3.40	3.44	3.53	3.65
10	2.57	2.76	2.89	2.99	3.07	3.14	3.19	3.24	3.29	3.33	3.36	3.45	3.57
11	2.53	2.72	2.84	2.94	3.02	3.08	3.14	3.19	3.23	3.27	3.30	3.39	3.50
12	2.50	2.68	2.81	2.90	2.98	3.04	3.09	3.14	3.18	3.22	3.25	3.34	3.45
13	2.48	2.65	2.78	2.87	2.94	3.00	3.06	3.10	3.14	3.18	3.21	3.29	3.40
14	2.46	2.63	2.75	2.84	2.91	2.97	3.02	3.07	3.11	3.14	3.18	3.26	3.36
15	2.44	2.61	2.73	2.82	2.89	2.95	3.00	3.04	3.08	3.12	3.15	3.23	3.33
16	2.42	2.59	2.71	2.80	2.87	2.92	2.97	3.02	3.06	3.09	3.12	3.20	3.30
17	2.41	2.58	2.69	2.78	2.85	2.90	2.95	3.00	3.03	3.07	3.10	3.18	3.27
18	2.40	2.56	2.68	2.76	2.83	2.89	2.94	2.98	3.01	3.05	3.08	3.16	3.25
19	2.39	2.55	2.66	2.75	2.81	2.87	2.92	2.96	3.00	3.03	3.06	3.14	3.23
20	2.38	2.54	2.65	2.73	2.80	2.86	2.90	2.95	2.98	3.02	3.05	3.12	3.22
24	2.35	2.51	2.61	2.70	2.76	2.81	2.86	2.90	2.94	2.97	3.00	3.07	3.16
30	2.32	2.47	2.58	2.66	2.72	2.77	2.82	2.86	2.89	2.92	2.95	3.02	3.11
40	2.29	2.44	2.54	2.62	2.68	2.73	2.77	2.81	2.85	2.87	2.90	2.97	3.06
60	2.27	2.41	2.51	2.58	2.64	2.69	2.73	2.77	2.80	2.83	2.86	2.92	3.00
120	2.24	2.38	2.47	2.55	2.60	2.65	2.69	2.73	2.76	2.79	2.81	2.87	2.95
∞	2.21	2.35	2.44	2.51	2.57	2.61	2.65	2.69	2.72	2.74	2.77	2.83	2.91

TABLE 11Percentage points for Dunnett's test: $d_{\alpha}(k, \nu)$ (continued)

$\alpha = 0.01$ (two-sided)													
ν	$k = 2$	3	4	5	6	7	8	9	10	11	12	15	20
5	4.63	4.98	5.22	5.41	5.56	5.69	5.80	5.89	5.98	6.05	6.12	6.30	6.52
6	4.21	4.51	4.71	4.87	5.00	5.10	5.20	5.28	5.35	5.41	5.47	5.62	5.81
7	3.95	4.21	4.39	4.53	4.64	4.74	4.82	4.89	4.95	5.01	5.06	5.19	5.36
8	3.77	4.00	4.17	4.29	4.40	4.48	4.56	4.62	4.68	4.73	4.78	4.90	5.05
9	3.63	3.85	4.01	4.12	4.22	4.30	4.37	4.43	4.48	4.53	4.57	4.68	4.82
10	3.53	3.74	3.88	3.99	4.08	4.16	4.22	4.28	4.33	4.37	4.42	4.52	4.65
11	3.45	3.65	3.79	3.89	3.98	4.05	4.11	4.16	4.21	4.25	4.29	4.39	4.52
12	3.39	3.58	3.71	3.81	3.89	3.96	4.02	4.07	4.12	4.16	4.19	4.29	4.41
13	3.33	3.52	3.65	3.74	3.82	3.89	3.94	3.99	4.04	4.08	4.11	4.20	4.32
14	3.29	3.47	3.59	3.69	3.76	3.83	3.88	3.93	3.97	4.01	4.05	4.13	4.24
15	3.25	3.43	3.55	3.64	3.71	3.78	3.83	3.88	3.92	3.95	3.99	4.07	4.18
16	3.22	3.39	3.51	3.60	3.67	3.73	3.78	3.83	3.87	3.91	3.94	4.02	4.13
17	3.19	3.36	3.47	3.56	3.63	3.69	3.74	3.79	3.83	3.86	3.90	3.98	4.08
18	3.17	3.33	3.44	3.53	3.60	3.66	3.71	3.75	3.79	3.83	3.86	3.94	4.04
19	3.15	3.31	3.42	3.50	3.57	3.63	3.68	3.72	3.76	3.79	3.83	3.90	4.00
20	3.13	3.29	3.40	3.48	3.55	3.60	3.65	3.69	3.73	3.77	3.80	3.87	3.97
24	3.07	3.22	3.32	3.40	3.47	3.52	3.57	3.61	3.64	3.68	3.70	3.78	3.87
30	3.01	3.15	3.25	3.33	3.39	3.44	3.49	3.52	3.56	3.59	3.62	3.69	3.78
40	2.95	3.09	3.19	3.26	3.32	3.37	3.41	3.44	3.48	3.51	3.53	3.60	3.68
60	2.90	3.03	3.12	3.19	3.25	3.29	3.33	3.37	3.40	3.42	3.45	3.51	3.59
120	2.85	2.97	3.06	3.12	3.18	3.22	3.26	3.29	3.32	3.35	3.37	3.43	3.51
∞	2.79	2.92	3.00	3.06	3.11	3.15	3.19	3.22	3.25	3.27	3.29	3.35	3.42

TABLE 12

Percentage points of $F_{\max} = s_{\max}^2/s_{\min}^2$

Upper 5% Points											
$df_2 \backslash t$	2	3	4	5	6	7	8	9	10	11	12
2	39.0	87.5	142	202	266	333	403	475	550	626	704
3	15.4	27.8	39.2	50.7	62.0	72.9	83.5	93.9	104	114	124
4	9.60	15.5	20.6	25.2	29.5	33.6	37.5	41.1	44.6	48.0	51.4
5	7.15	10.8	13.7	16.3	18.7	20.8	22.9	24.7	26.5	28.2	29.9
6	5.82	8.38	10.4	12.1	13.7	15.0	16.3	17.5	18.6	19.7	20.7
7	4.99	6.94	8.44	9.70	10.8	11.8	12.7	13.5	14.3	15.1	15.8
8	4.43	6.00	7.18	8.12	9.03	9.78	10.5	11.1	11.7	12.2	12.7
9	4.03	5.34	6.31	7.11	7.80	8.41	8.95	9.45	9.91	10.3	10.7
10	3.72	4.85	5.67	6.34	6.92	7.42	7.87	8.28	8.66	9.01	9.34
12	3.28	4.16	4.79	5.30	5.72	6.09	6.42	6.72	7.00	7.25	7.48
15	2.86	3.54	4.01	4.37	4.68	4.95	5.19	5.40	5.59	5.77	5.93
20	2.46	2.95	3.29	3.54	3.76	3.94	4.10	4.24	4.37	4.49	4.59
30	2.07	2.40	2.61	2.78	2.91	3.02	3.12	3.21	3.29	3.36	3.39
60	1.67	1.85	1.96	2.04	2.11	2.17	2.22	2.26	2.30	2.33	2.36
∞	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Upper 1% Points											
$df_2 \backslash t$	2	3	4	5	6	7	8	9	10	11	12
2	199	448	729	1036	1362	1705	2063	2432	2813	3204	3605
3	47.5	85	120	151	184	21(6)	24(9)	28(1)	31(0)	33(7)	36(1)
4	23.2	37	49	59	69	79	89	97	106	113	120
5	14.9	22	28	33	38	42	46	50	54	57	60
6	11.1	15.5	19.1	22	25	27	30	32	34	36	37
7	8.89	12.1	14.5	16.5	18.4	20	22	23	24	26	27
8	7.50	9.9	11.7	13.2	14.5	15.8	16.6	17.9	18.9	19.8	21
9	6.54	8.5	9.9	11.1	12.1	13.1	13.9	14.7	15.3	16.0	16.6
10	5.85	7.4	8.6	9.6	10.4	11.1	11.8	12.4	12.9	13.4	13.9
12	4.91	6.1	6.9	7.6	8.2	8.7	9.1	9.5	9.9	10.2	10.6
15	4.07	4.9	5.5	6.0	6.4	6.7	7.1	7.3	7.5	7.8	8.0
20	3.32	3.8	4.3	4.6	4.9	5.1	5.3	5.5	5.6	5.8	5.9
30	2.63	3.0	3.3	3.4	3.6	3.7	3.8	3.9	4.0	4.1	4.2
60	1.96	2.2	2.3	2.4	2.4	2.5	2.5	2.6	2.6	2.7	2.7
∞	1.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

s_{\max}^2 is the largest and s_{\min}^2 the smallest in a set of t independent mean squares, each based on $df_2 = n - 1$ degrees of freedom. Values in the column $t = 2$ and in the rows $df_2 = 2$ and ∞ are exact. Elsewhere, the third digit may be in error by a few units for the 5% points and several units for the 1% points. The third-digit figures in parentheses for $df_2 = 3$ are the most uncertain. From *Biometrika Tables for Statisticians*, 3rd ed., Vol. 1, edited by E. S. Pearson and H. O. Hartley (New York: Cambridge University Press, 1966), Table, p. 202. Reproduced by permission of the *Biometrika Trustees*.

TABLE 13


Random numbers

Line/ Col.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
1	10480	15011	01536	02011	81647	91646	69179	14194	62590	36207	20969	99570	91291	90700
2	22368	46573	25595	85393	30995	89198	27982	53402	93965	34095	52666	19174	39615	99505
3	24130	48360	22527	97265	76393	64809	15179	24830	49340	32081	30680	19655	63348	58629
4	42167	93093	06243	61680	07856	16376	39440	53537	71341	57004	00849	74917	97758	16379
5	37570	39975	81837	16656	06121	91782	60468	81305	49684	60672	14110	06927	01263	54613
6	77921	06907	11008	42751	27756	53498	18602	70659	90655	15053	21916	81825	44394	42880
7	99562	72905	56420	69994	98872	31016	71194	18738	44013	48840	63213	21069	10634	12952
8	96301	91977	05463	07972	18876	20922	94595	56869	69014	60045	18425	84903	42508	32307
9	89579	14342	63661	10281	17453	18103	57740	84378	25331	12566	58678	44947	05585	56941
10	85475	36857	53342	53988	53060	59533	38867	62300	08158	17983	16439	11458	18593	64952
11	28918	69578	88231	33276	70997	79936	56865	05859	90106	31595	01547	85590	91610	78188
12	63553	40961	48235	03427	49626	69445	18663	72695	52180	20847	12234	90511	33703	90322
13	09429	93969	52636	92737	88974	33488	36320	17617	30015	08272	84115	27156	30613	74952
14	10365	61129	87529	85689	48237	52267	67689	93394	01511	26358	85104	20285	29975	89868
15	07119	97336	71048	08178	77233	13916	47564	81056	97735	85977	29372	74461	28551	90707
16	51085	12765	51821	51259	77452	16308	60756	92144	49442	53900	70960	63990	75601	40719
17	02368	21382	52404	60268	89368	19885	55322	44819	01188	65255	64835	44919	05944	55157
18	01011	54092	33362	94904	31273	04146	18594	29852	71585	85030	51132	01915	92747	64951
19	52162	53916	46369	58586	23216	14513	83149	98736	23495	64350	94738	17752	35156	35749
20	07056	97628	33787	09998	42698	06691	76988	13602	51851	46104	88916	19509	25625	58104
21	48663	91245	85828	14346	09172	30168	90229	04734	59193	22178	30421	61666	99904	32812
22	54164	58492	22421	74103	47070	25306	76468	26384	58151	06646	21524	15227	96909	44592
23	32639	32363	05597	24200	13363	38005	94342	28728	35806	06912	17012	64161	18296	22851
24	29334	27001	87637	87308	58731	00256	45834	15398	46557	41135	10367	07684	36188	18510
25	02488	33062	28834	07351	19731	92420	60952	61280	50001	67658	32586	86679	50720	94953

Abridged from William H. Beyer, ed., *Handbook of Tables for Probability and Statistics*, 2nd ed. © The Chemical Rubber Co., 1968.
Used by permission of CRC Press, Inc.

TABLE 14

Power of the analysis of variance test ($\alpha = .05, t = 3$)



Power of the analysis of variance test ($\alpha = .05, t = 4$)





TABLE 14

Power of the analysis
of variance test
($\alpha = .05, t = 5$)



Power of the analysis
of variance test
($\alpha = .05, t = 6$)





TABLE 14

Power of the analysis of variance test ($\alpha = .05, t = 7$)



Power of the analysis of variance test ($\alpha = .05, t = 8$)




TABLE 14
 Power of the analysis
 of variance test
 ($\alpha = .05, t = 9$)






TABLE 15

Poisson probabilities (μ between .1 and 4.0)

y	μ									
	.1	.2	.3	.4	.5	.6	.7	.8	.9	1.0
0	.9048	.8187	.7408	.6703	.6065	.5488	.4966	.4493	.4066	.3679
1	.0905	.1637	.2222	.2681	.3033	.3293	.3476	.3595	.3659	.3679
2	.0045	.0164	.0333	.0536	.0758	.0988	.1217	.1438	.1647	.1839
3	.0002	.0011	.0033	.0072	.0126	.0198	.0284	.0383	.0494	.0613
4	.0000	.0001	.0003	.0007	.0016	.0030	.0050	.0077	.0111	.0153
5	.0000	.0000	.0000	.0001	.0002	.0004	.0007	.0012	.0020	.0031
6	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0003	.0005
y	μ									
	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0
0	.3329	.3012	.2725	.2466	.2231	.2019	.1827	.1653	.1496	.1353
1	.3662	.3614	.3543	.3452	.3347	.3230	.3106	.2975	.2842	.2707
2	.2014	.2169	.2303	.2417	.2510	.2584	.2640	.2678	.2700	.2707
3	.0738	.0867	.0998	.1128	.1255	.1378	.1496	.1607	.1710	.1804
4	.0203	.0260	.0324	.0395	.0471	.0551	.0636	.0723	.0812	.0902
5	.0045	.0062	.0084	.0111	.0141	.0176	.0216	.0260	.0309	.0361
6	.0008	.0012	.0018	.0026	.0035	.0047	.0061	.0078	.0098	.0120
7	.0001	.0002	.0003	.0005	.0008	.0011	.0015	.0020	.0027	.0034
8	.0000	.0000	.0001	.0001	.0001	.0002	.0003	.0005	.0006	.0009
y	μ									
	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0
0	.1225	.1108	.1003	.0907	.0821	.0743	.0672	.0608	.0550	.0498
1	.2572	.2438	.2306	.2177	.2052	.1931	.1815	.1703	.1596	.1494
2	.2700	.2681	.2652	.2613	.2565	.2510	.2450	.2384	.2314	.2240
3	.1890	.1966	.2033	.2090	.2138	.2176	.2205	.2225	.2237	.2240
4	.0992	.1082	.1169	.1254	.1336	.1414	.1488	.1557	.1622	.1680
5	.0417	.0476	.0538	.0602	.0668	.0735	.0804	.0872	.0940	.1008
6	.0146	.0174	.0206	.0241	.0278	.0319	.0362	.0407	.0455	.0504
7	.0044	.0055	.0068	.0083	.0099	.0118	.0139	.0163	.0188	.0216
8	.0011	.0015	.0019	.0025	.0031	.0038	.0047	.0057	.0068	.0081
9	.0003	.0004	.0005	.0007	.0009	.0011	.0014	.0018	.0022	.0027
10	.0001	.0001	.0001	.0002	.0002	.0003	.0004	.0005	.0006	.0008
11	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0002	.0002
y	μ									
	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0
0	.0450	.0408	.0369	.0334	.0302	.0273	.0247	.0224	.0202	.0183
1	.1397	.1304	.1217	.1135	.1057	.0984	.0915	.0850	.0789	.0733
2	.2165	.2087	.2008	.1929	.1850	.1771	.1692	.1615	.1539	.1465
3	.2237	.2226	.2209	.2186	.2158	.2125	.2087	.2046	.2001	.1954
4	.1733	.1781	.1823	.1858	.1888	.1912	.1931	.1944	.1951	.1954
5	.1075	.1140	.1203	.1264	.1322	.1377	.1429	.1477	.1522	.1563
6	.0555	.0608	.0662	.0716	.0771	.0826	.0881	.0936	.0989	.1042


TABLE 15

Poisson probabilities (μ between 3.1 and 10.0)



y	3.1	3.2	3.3	3.4	μ 3.5	3.6	3.7	3.8	3.9	4.0
7	.0246	.0278	.0312	.0348	.0385	.0425	.0466	.0508	.0551	.0595
8	.0095	.0111	.0129	.0148	.0169	.0191	.0215	.0241	.0269	.0298
9	.0033	.0040	.0047	.0056	.0066	.0076	.0089	.0102	.0116	.0132
10	.0010	.0013	.0016	.0019	.0023	.0028	.0033	.0039	.0045	.0053
11	.0003	.0004	.0005	.0006	.0007	.0009	.0011	.0013	.0016	.0019
12	.0001	.0001	.0001	.0002	.0002	.0003	.0003	.0004	.0005	.0006
13	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0002	.0002
y	4.1	4.2	4.3	4.4	μ 4.5	4.6	4.7	4.8	4.9	5.0
0	.0166	.0150	.0136	.0123	.0111	.0101	.0091	.0082	.0074	.0067
1	.0679	.0630	.0583	.0540	.0500	.0462	.0427	.0395	.0365	.0337
2	.1393	.1323	.1254	.1188	.1125	.1063	.1005	.0948	.0894	.0842
3	.1904	.1852	.1798	.1743	.1687	.1631	.1574	.1517	.1460	.1404
4	.1951	.1944	.1933	.1917	.1898	.1875	.1849	.1820	.1789	.1755
5	.1600	.1633	.1662	.1687	.1708	.1725	.1738	.1747	.1753	.1755
6	.1093	.1143	.1191	.1237	.1281	.1323	.1362	.1398	.1432	.1462
7	.0640	.0686	.0732	.0778	.0824	.0869	.0914	.0959	.1002	.1044
8	.0328	.0360	.0393	.0428	.0463	.0500	.0537	.0575	.0614	.0653
9	.0150	.0168	.0188	.0209	.0232	.0255	.0281	.0307	.0334	.0363
10	.0061	.0071	.0081	.0092	.0104	.0118	.0132	.0147	.0164	.0181
11	.0023	.0027	.0032	.0037	.0043	.0049	.0056	.0064	.0073	.0082
12	.0008	.0009	.0011	.0013	.0016	.0019	.0022	.0026	.0030	.0034
13	.0002	.0003	.0004	.0005	.0006	.0007	.0008	.0009	.0011	.0013
14	.0001	.0001	.0001	.0001	.0002	.0002	.0003	.0003	.0004	.0005
15	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0002
y	5.5	6.0	6.5	7.0	μ 7.5	8.0	8.5	9.0	9.5	10.0
0	.0041	.0025	.0015	.0009	.0006	.0003	.0002	.0001	.0001	.0000
1	.0225	.0149	.0098	.0064	.0041	.0027	.0017	.0011	.0007	.0005
2	.0618	.0446	.0318	.0223	.0156	.0107	.0074	.0050	.0034	.0023
3	.1133	.0892	.0688	.0521	.0389	.0286	.0208	.0150	.0107	.0076
4	.1558	.1339	.1118	.0912	.0729	.0573	.0443	.0337	.0254	.0189
5	.1714	.1606	.1454	.1277	.1094	.0916	.0752	.0607	.0483	.0378
6	.1571	.1606	.1575	.1490	.1367	.1221	.1066	.0911	.0764	.0631
7	.1234	.1377	.1462	.1490	.1465	.1396	.1294	.1171	.1037	.0901
8	.0849	.1033	.1188	.1304	.1373	.1396	.1375	.1318	.1232	.1126
9	.0519	.0688	.0858	.1014	.1144	.1241	.1299	.1318	.1300	.1251
10	.0285	.0413	.0558	.0710	.0858	.0993	.1104	.1186	.1235	.1251
11	.0143	.0225	.0330	.0452	.0585	.0722	.0853	.0970	.1067	.1137
12	.0065	.0113	.0179	.0263	.0366	.0481	.0604	.0728	.0844	.0948
13	.0028	.0052	.0089	.0142	.0211	.0296	.0395	.0504	.0617	.0729
14	.0011	.0022	.0041	.0071	.0113	.0169	.0240	.0324	.0419	.0521
15	.0004	.0009	.0018	.0033	.0057	.0090	.0136	.0194	.0265	.0347

TABLE 15

Poisson probabilities (μ between 5.5 and 20.0)

y	μ									
	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0
16	.0001	.0003	.0007	.0014	.0026	.0045	.0072	.0109	.0157	.0217
17	.0000	.0001	.0003	.0006	.0012	.0021	.0036	.0058	.0088	.0128
18	.0000	.0000	.0001	.0002	.0005	.0009	.0017	.0029	.0046	.0071
19	.0000	.0000	.0000	.0001	.0002	.0004	.0008	.0014	.0023	.0037
20	.0000	.0000	.0000	.0000	.0001	.0002	.0003	.0006	.0011	.0019
21	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0003	.0005	.0009
22	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0002	.0004
23	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0002
y	μ									
	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0
0	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
1	.0002	.0001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
2	.0010	.0004	.0002	.0001	.0000	.0000	.0000	.0000	.0000	.0000
3	.0037	.0018	.0008	.0004	.0002	.0001	.0000	.0000	.0000	.0000
4	.0102	.0053	.0027	.0013	.0006	.0003	.0001	.0001	.0000	.0000
5	.0224	.0127	.0070	.0037	.0019	.0010	.0005	.0002	.0001	.0001
6	.0411	.0255	.0152	.0087	.0048	.0026	.0014	.0007	.0004	.0002
7	.0646	.0437	.0281	.0174	.0104	.0060	.0034	.0019	.0010	.0005
8	.0888	.0655	.0457	.0304	.0194	.0120	.0072	.0042	.0024	.0013
9	.1085	.0874	.0661	.0473	.0324	.0213	.0135	.0083	.0050	.0029
10	.1194	.1048	.0859	.0663	.0486	.0341	.0230	.0150	.0095	.0058
11	.1194	.1144	.1015	.0844	.0663	.0496	.0355	.0245	.0164	.0106
12	.1094	.1144	.1099	.0984	.0829	.0661	.0504	.0368	.0259	.0176
13	.0926	.1056	.1099	.1060	.0956	.0814	.0658	.0509	.0378	.0271
14	.0728	.0905	.1021	.1060	.1024	.0930	.0800	.0655	.0514	.0387
15	.0534	.0724	.0885	.0989	.1024	.0992	.0906	.0786	.0650	.0516
16	.0367	.0543	.0719	.0866	.0960	.0992	.0963	.0884	.0772	.0646
17	.0237	.0383	.0550	.0713	.0847	.0934	.0963	.0936	.0863	.0760
18	.0145	.0255	.0397	.0554	.0706	.0830	.0909	.0936	.0911	.0844
19	.0084	.0161	.0272	.0409	.0557	.0699	.0814	.0887	.0911	.0888
20	.0046	.0097	.0177	.0286	.0418	.0559	.0692	.0798	.0866	.0888
21	.0024	.0055	.0109	.0191	.0299	.0426	.0560	.0684	.0783	.0846
22	.0012	.0030	.0065	.0121	.0204	.0310	.0433	.0560	.0676	.0769
23	.0006	.0016	.0037	.0074	.0133	.0216	.0320	.0438	.0559	.0669
24	.0003	.0008	.0020	.0043	.0083	.0144	.0226	.0328	.0442	.0557
25	.0001	.0004	.0010	.0024	.0050	.0092	.0154	.0237	.0336	.0446
26	.0000	.0002	.0005	.0013	.0029	.0057	.0101	.0164	.0246	.0343
27	.0000	.0001	.0002	.0007	.0016	.0034	.0063	.0109	.0173	.0254
28	.0000	.0000	.0001	.0003	.0009	.0019	.0038	.0070	.0117	.0181
29	.0000	.0000	.0001	.0002	.0004	.0011	.0023	.0044	.0077	.0125
30	.0000	.0000	.0000	.0001	.0002	.0006	.0013	.0026	.0049	.0083
31	.0000	.0000	.0000	.0000	.0001	.0003	.0007	.0015	.0030	.0054
32	.0000	.0000	.0000	.0000	.0001	.0001	.0004	.0009	.0018	.0034
33	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0005	.0010	.0020

Source: Computed by D. K. Hildebrand.